

11.03 Pipe, hose & fittings

Pipes and fittings are essential components for the flow of milk and other dairy products in a traditional dairy processing plant. They are used to transport the products from one point to another, such as from the storage tanks to the processing equipment or from the processing equipment to the packaging line.

It's important for the pipes and fittings to be properly designed, installed, and maintained to ensure the safety and quality of the dairy products. Proper sanitation is critical to prevent the growth of harmful bacteria and ensure that the products meet food safety standards.

Dairy processors should work with qualified engineers and technicians to design and install their piping, and follow established sanitation procedures and best practices to maintain the cleanliness and integrity of the system.

Qt				
у	ID	Description	Price - €	Total - €
	PGP-	1"1/4 x d.30 mm 90° NYLON HOSE CONNECTION		
	114.30			
	PGI-	DIN 32 x d.30 mm STAINLESS STEEL HOSE CONNECTION		
	032.30			
	PGI-	DIN 40 x d.30 mm STAINLESS STEEL HOSE CONNECTION		
	040.30			
	PGI-	DIN 40 x d.40 mm STAINLESS STEEL HOSE CONNECTION		
	040.40			
	PGI-	DIN 50 x d.30 mm STAINLESS STEEL HOSE CONNECTION		
	050.30			
	PGI-	DIN 50 x d.40 mm STAINLESS STEEL HOSE CONNECTION		
	050.40			
	PGI-	DIN 50 x d.50 mm STAINLESS STEEL HOSE CONNECTION		
	050.50			
	PGI-	DIN 50 x d.65 mm STAINLESS STEEL HOSE CONNECTION		
	050.60			
	PGI-	DIN 65 x d.50 mm STAINLESS STEEL HOSE CONNECTION		
	065.30			
	PGI-	DIN 65 x d.50 mm STAINLESS STEEL HOSE CONNECTION		
	065.40			
	PGI-	DIN 65 x d.50 mm STAINLESS STEEL HOSE CONNECTION		
	065.50			
	PGI-	DIN 65 x d.60 mm STAINLESS STEEL HOSE CONNECTION		
	065.60			
	PGI-	DIN 65 x d.60 mm STAINLESS STEEL HOSE CONNECTION		
	080.50			
	PGI-	DIN 65 x d.60 mm STAINLESS STEEL HOSE CONNECTION		
	080.65			

11.03 - Technical data – Hose and fittings



PGI- 080.80	DIN 80 x d.80 mm STAINLESS STEEL HOSE CONNECTION
PGI- 100.100	DIN 80 x d.80 mm STAINLESS STEEL HOSE CONNECTION
PGI-050C	DIN 50 x d.25 mm 90° STAINLESS STEEL HOSE CONNECTION
PGI-	DIN 50 x d.25 mm 90° STAINLESS STEEL HOSE CONNECTION
032.25C	
PGI-	DIN 50 x d.25 mm 90° STAINLESS STEEL HOSE CONNECTION
050.25C	
PGI- 065.25C	DIN 65 x d.25 mm 90° STAINLESS STEEL HOSE CONNECTION
GIR-032	DIN 32 STAINLESS STEEL NUT
GIK-032	DIN 52 STAINLESS STEEL NOT
GIR-040	DIN 40 STAINLESS STEEL NUT
GIR-050	DIN 50 STAINLESS STEEL NUT
GIR-065	DIN 65 STAINLESS STEEL NUT
GIR-080	DIN 80 STAINLESS STEEL NUT
GIR-100	DIN 80 STAINLESS STEEL NUT
VDFF-032	BUTTERFLY VALVE DIN 11851 F/F DN32
VDFF-040	BUTTERFLY VALVE DIN 11851 F/F DN40
VDFF-050	BUTTERFLY VALVE DIN 11851 F/F DN50
VDFF-065	BUTTERFLY VALVE DIN 11851 F/F DN50
VDFF-080	BUTTERFLY VALVE DIN 11851 F/F DN50
VDFF-100	BUTTERFLY VALVE DIN 11851 F/F DN50
VDMF-	BUTTERFLY VALVE DIN 11851 M/F DN32
032	
VDMF- 040	BUTTERFLY VALVE DIN 11851 M/F DN40
VDMF-	BUTTERFLY VALVE DIN 11851 M/F DN50
050 VDMF-	BUTTERFLY VALVE DIN 11851 M/F DN50
065	
VDMF- 080	BUTTERFLY VALVE DIN 11851 M/F DN50
VDMF-	BUTTERFLY VALVE DIN 11851 M/F DN50
100	SILICONE GASKET FOR BUTTERFLY VALVE DN32
VDxF- 032/1	SILICONE GASKET FOR BUTTERFLY VALVE DN32
VDxF-	SILICONE GASKET FOR BUTTERFLY VALVE DN40
040/1 VD-F	
VDxF- 050/1	SILICONE GASKET FOR BUTTERFLY VALVE DN50
VDxF-	SILICONE GASKET FOR BUTTERFLY VALVE DN65
065/1 VDxF-	SILICONE GASKET FOR BUTTERFLY VALVE DN80
v Dxr - 080/1	SILICONE GASKET FOR BUTTERFLT VALVE DNOU
VDxF-	SILICONE GASKET FOR BUTTERFLY VALVE DN80
100/1 VDxF-	EPDM GASKET FOR BUTTERFLY VALVE DN50
v DxF - 050/2	EI DIN GASKET FOR DUTTERFLT VALVE DIN30
VDxF-	EPDM GASKET FOR BUTTERFLY VALVE DN65
065/2	



VDxF- EPDM GASKET FOR BUTTERFLY VALVE DN80 080/2

ТА-025	FOOD GRADE HOSE
	Ø 25 mm - (price per meter)
TA-030	FOOD GRADE HOSE
	Ø 30 mm - (price per meter)
TA-040	FOOD GRADE HOSE
	Ø 40 mm - (price per meter)
TA-050	FOOD GRADE HOSE
	Ø 50 mm - (price per meter)
TA-060	FOOD GRADE HOSE
	Ø 60 mm - (price per meter)
TA-080	FOOD GRADE HOSE
	Ø 80 mm - (price per meter)
TA-100	FOOD GRADE HOSE
	Ø 80 mm - (price per meter)

FAA-150	ANTI-VIBRATION FLEXIBLE HOSE FOR WATER - L=150
	dia. 3/4" with 3/4" F connections
FAA-200	ANTI-VIBRATION FLEXIBLE HOSE FOR WATER - L=200
	CM

dia. 3/4" with 3/4" F connections